







GUARANTEED ANALYSIS

Total Nitrogen (N)	4.0%
3.3% Urea Nitrogen*	
0.35% Ammoniacal Nitroge	n
0.35% Nitrate Nitrogen	
Soluble Potash (K2O)	2.0%
Sulfur (S)	
Iron (Fe)	.1.5%

Derived from: Urea, Ammonium Nitrate, Sulfate of Potash, Ferrous Sulfate, Ascophyllum Nodosum

*2% urea nitrogen stabilized with N-(n-butyl) thiophosphoric triamide

ALSO CONTAINS NON-PLANT FOOD INGREDIENT(S):

2.0% Humic Acids (Derived from Leonardite) 2.0% Kelp (Microbe food)

Purpose Statement:

May increase micronutirent uptake. May increase microbe food.

Information regarding the contents and levels of metals in this product is available on the internet at http://aapfco.org/metals.html.

Manufactured and Guaranteed by Greene County Fertilizer Company, Inc. PO Box 1346 • Greensboro, GA 30642 1-855-606-3378 • greenecountyfert.com



PRODUCT DESCRIPTION

4-0-2 FloraGreene[™] *Fertilizer* is engineered to be a complete product for all varieties of landscape plants, ornamentals, tropicals, shrubs, and trees.

APPLICATION RECOMMENDATIONS While soil application is acceptable, **4-0-2** is formulated for foliar application.

- 4-0-2 FloraGreene[™] will absorb through leaf, stem, and cambium tissue and be distributed to the roots through the circulatory systems of plants, ornamentals, shrubs, and trees.
- Application rates of **4-0-2** are very low.
- There is no risk of tissue burn.
- Product can stain. Special care should be taken when applying near homes or hardscapes.

DIY Directions • Storage & Handling

SHAKE WELL! The mixed product should be agitated prior to and during application.

Do not apply to foliage if temperatures are above 80° F or below 40 ° F.

Healthy Trees: Apply at a rate of 1/2 ounce per caliper inch of the diameter at shoulder height. Dilute with water at a rate of 6 ounces per gallon. Spray the trunk of the tree up to a height of 6 feet or to the first fork. Apply two times per year in the spring and fall.

Sick or Diseased Trees: Apply at a rate of 1 ounce per caliper inch of diameter at should height. Dilute at a rate of 6 ounces per gallon of water. Spray the trunk of the tree up to the height of 6 feet or to the first fork. Apply every 30 days as needed.

Fruit Trees: Apply at 1/2 ounce per caliper inch of the diameter at shoulder height before fruit sets. Dilute at 6 ounces per gallon of water. Spray trunk to a height of 6 feet or to the first fork. No application after fruit sets.

Plants and Ornamentals: Apply at a rate of 6 ounces per 1,000 sq. ft. of bedding material. Dilute at a rate of 6 ounces per gallon of water; apply as a mist to foliage or as a soil drench at the base of the plant. Avoid direct contact with flower blooms to prevent staining.

Palms: Apply at a rate of 1 ounce per caliper inch of diameter at shoulder height. Dilute at a rate of 6 ounces per gallon of water. Apply as a soil drench at the base of the palm.

Potted Plants and Vegetables: Dilute at 1 ounce per gallon of water and apply weekly as a light soaking to the base of the plant. Avoid direct contact with flower blooms to prevent staining.

Storage: in a cool dry place away from direct sunlight. Product will store for 2 years under warehouse conditions.

Apply in accordance with best management practices (BMP's) established by your Cooperative Extension Service. Observe any State or Local fertilizer application regulations.

Caution: This product contains the secondary micronutrient iron. Iron may stain concrete, wood and other pervious and impervious surfaces. **Apply** only to turf, plants, and soil. If plants are flowering, apply to base of the plant to avoid staining of blooms.

Keep out of Reach of Children: If product comes in contact with skin or eyes, flush with water immediately.



PACKAGING: 1.0-gal bottle and 2.5-gal bottle

Always read and follow label directions.

