



SAFETY DATA SHEET

Quali-Pro Isoxaben 75 WG

SECTION 1: IDENTIFICATION

Product Name: Quali-Pro Isoxaben 75 WG
EPA Registration No.: 53883-434; 66222-218
Recommended Use: Herbicide; See product label for a complete list of uses and use sites.
Restrictions on Use: See product label for any restrictions on the use of this product.
Chemical Family: Benzamide
Chemical Name of Active Ingredient(s): Isoxaben
Manufactured for: Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507

FOR FIRE, SPILL, AND/OR LEAK EMERGENCIES CONTACT: CHEMTREC 1-800-424-9300

FOR MEDICAL EMERGENCIES AND HEALTH AND SAFETY INQUIRIES CONTACT: Safety Call 1-866-897-8050

SECTION 2: HAZARD(S) IDENTIFICATION

EMERGENCY OVERVIEW: Off white cylindrical granules with faint characteristic odor. Causes eye irritation.

OSHA HCS CLASSIFICATION (29 CFR 1910.1200)

| | |
|---------------------------|------------|
| Acute Inhalation Toxicity | Category 4 |
| Eye Damage/Irritation | Category 2 |

Signal Word: WARNING



Hazard Statement(s): Harmful if inhaled.
Causes serious eye irritation

Precautionary Statement(s):

- Prevention:** Avoid breathing dust.
Use only outdoors or in a well-ventilated area.
Wash hands, face and any exposed skin thoroughly after handling.
Wear eye/face protection.
- Response:** **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- Storage:** No statement required. See section 7 for storage information.
Disposal: No statement required. See section 13 for disposal information.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS Number | Weight % |
|---------------|------------|----------|
| Isoxaben | 82558-50-7 | 75.0% |
| Kaolin Clay | 1332-58-7 | <10.0% |

*Ingredients not listed or listed with a weight % range are considered a trade secret and are withheld under 29 CFR 1910.1200(i).

SECTION 4: FIRST AID MEASURES

| | |
|---------------------|---|
| IF IN EYES: | Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| IF ON SKIN: | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. |
| IF INHALED: | Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. |
| IF INGESTED: | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. |

Most important symptoms/effects, acute and delayed: Eye irritation.

Note to Physician: There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIRE-FIGHTING MEASURES

| | |
|--|---|
| Suitable Extinguishing Media: | Foam, dry chemical, carbon dioxide or water spray |
| Unsuitable Extinguishing Media: | Water jet |
| Hazardous Combustion Products: | Thermal decomposition may produce toxic aluminum, carbon, nitrogen and silicon oxides. |
| Special Protective Equipment & Precautions: | Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Foam and/or dry chemical are preferred to minimize environmental contamination. If water is used, dike and collect water to prevent run-off. Wear self-contained breathing apparatus and full fire-fighting turn-out gear (Bunker gear). |
| Unusual Fire & Explosion Hazards: | None known |

SECTION 6: ACCIDENTAL RELEASE MEASURES

| | |
|-----------------------------------|--|
| Personal Precautions: | See Section 8 for personal protection equipment. |
| Environmental Precautions: | Keep spilled material and any rinsate from contaminating soil or from entering sewage and drainage systems and bodies of water. |
| Methods for Containment: | Isolate the spill area. Keep unnecessary and unprotected personnel from entering. Dike large spills using impervious material such as clay or sand. Recover and contain as much product as possible for reuse according to label directions. |

Methods for Clean-up: Place contaminated material in appropriate container for disposal. Avoid dust generation. After removal, flush contaminated area thoroughly with water. Pick up wash liquid with additional absorbent and place in a disposable container. Do not put spilled material back in the original container.

Other Information: None known

SECTION 7: HANDLING AND STORAGE

Handling: RECOMMENDATIONS ARE INTENDED FOR MANUFACTURING, PACKAGING AND COMMERCIAL BLENDING WORKERS. PESTICIDE APPLICATORS AND WORKERS must refer to the product label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Handle and open container in a manner as to prevent spillage. Do not eat, drink or smoke while handling this product. Avoid dust generation.

Storage: See pesticide label for full information on product storage. Do not contaminate water, food or feed by storage of this product. Store away from sources of heat, out of direct sunlight and away from incompatible materials. Pesticides should be stored in secured areas away from children and animals.

Storage Temperature (Min/Max): Do not store at temperatures exceeding 120°F.

Product Incompatibilities: None known

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Users of a pesticide product must refer to the product label for personal protective equipment requirements.

Exposure Guidelines:

| COMPONENT | OSHA PEL | ACGIH TLV | NIOSH REL |
|-----------------------------------|---|--|-----------|
| Particulates not otherwise listed | TWA: 5 mg/m ³ | TWA: 10 mg/m ³ | |
| Kaolin clay | TWA (total dust): 15 mg/m ³ TWA (resp. Fraction): 5 mg/m ³ | TWA (resp. fraction): 2 mg/m ³ | |

Engineering Controls: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.

Respiratory Protection: In areas of poor ventilation, use a NIOSH approved respirator with organic vapor cartridge with a particular pre-filter.

Eye Protection: Chemical goggles or safety glasses and full-face shield.

Protective Gloves: Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile, neoprene rubber, polyvinyl chloride (PVC) or Viton.

Other Protective Clothing: Long-sleeved shirt, long pants and shoes plus socks.

General Safety Measures: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately after handling this product. Wash outside of gloves before removing. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|---------------------------------|--------------------------------|---|-----------------------------|
| Appearance: | Off-white cylindrical granules | Upper/Lower Flammability Limits: | Not determined |
| Odor: | Faint characteristic | Vapor Pressure: | Not determined |
| Odor Threshold: | Not determined | Vapor Density: | Not determined |
| pH (1% dispersion): | 6.0 – 8.0 | Bulk Density: | 0.436 (pour) 0.468 (tap) |
| Melting /Freezing Point: | Not determined | Solubility (water): | Dispersible |
| Boiling Point/Range: | Not determined | Partition Coefficient: | Not determined |
| Flash Point: | Not applicable | Auto-ignition Temperature: | Not determined |
| Evaporation Rate: | Not determined | Decomposition Temperature: | Not determined |
| Flammability: | Not determined | Viscosity: | Not applicable |

SECTION 10: STABILITY AND REACTIVITY

| | |
|--|--|
| Reactivity: | None known |
| Chemical Stability: | Stable under normal storage and handling conditions. |
| Possibility of Hazardous Reactions: | No potential for hazardous reactions known. |
| Conditions to Avoid: | Dust generation |
| Incompatible Materials: | None known |
| Hazardous Decomposition Products: | Thermal decomposition may produce toxic aluminum, carbon, nitrogen and silicon oxides. |

SECTION 11: TOXICOLOGICAL INFORMATION

| | |
|------------------------------------|--|
| Likely Routes of Exposure: | Eye contact, Skin contact, Inhalation, Ingestion |
| Symptoms of Exposure: | Mild eye irritation. |
| Oral LD₅₀: | >5,000 mg/kg (Based upon similar formulation) |
| Dermal LD₅₀: | >5,000 mg/kg (Based upon similar formulation) |
| Inhalation LC₅₀: | Inhalation unlikely due to physical state. Prolonged excessive exposure to dust may cause adverse effects. 4-hr LC ₅₀ of isoxaben technical > 2.93 mg/L (rat) |
| Eye Irritation/Damage: | May cause moderate eye irritation which may be slow to heal. |
| Skin Corrosion/Irritation: | Prolonged contact may cause moderate skin irritation with local redness. |
| Skin Sensitization: | Non-sensitizer, based upon component data. |

| | |
|-------------------------------------|--|
| Chronic/Subchronic Toxicity: | No data available |
| Mutagenicity: | No data available |
| Reproductive Toxicity: | No data available |
| Neurotoxicity: | No data available |
| Target Organs: | Stomach |
| Aspiration Hazard: | Based upon physical properties, not likely to be an aspiration hazard. |
| Carcinogenicity: | |

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|------|-----|------|
| None listed | | | | |

SECTION 12: ECOLOGICAL INFORMATION**Environmental Hazards Statement from FIFRA Regulated Pesticide Label:**

Do not contaminate water by cleaning of equipment washwaters. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift may result in reduced germination or emergence of non-target plants adjacent to treated area.

ECOTOXICITY DATA:

The data below is on the technical isoxaben.

Fish Toxicity:

Oncorhynchus mykiss (rainbow trout): 96-hr LC₅₀ = 1.2 mg/L

Cyprinodon variegatus (sheepshead minnow): static 96-hr LC₅₀ > 0.87 mg/L

Aquatic Invertebrate Toxicity:

Daphnia magna: 48-hr EC₅₀ >1.3 mg/L

Aquatic Plant Toxicity:

No data available

Avian Toxicity:

No data available

Honeybee Toxicity:

No data available

ENVIRONMENTAL EFFECTS:

Persistence and Degradability: No data available

Bioaccumulation: No data available

Mobility: No data available

Other Adverse Effects: No data available

SECTION 13: DISPOSAL CONSIDERATIONS**Waste Disposal:**

Refer to the pesticide label for full information on disposal. Pesticide wastes are toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in proper disposal methods.

Container Disposal:

Refer to the pesticide label for full information on disposal. When possible, triple rinse the container and offer for recycling if available.

RCRA Characteristics:

It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

SECTION 14: TRANSPORTATION INFORMATION**DOT**

(Ground): Not regulated

IMDG

UN3077, Environmentally hazardous substance, solid, n.o.s. (Isoxaben), 9, PGIII, Marine

(Sea):

Pollutant

IATA**(Air):**

UN3077, Environmentally hazardous substance, solid, n.o.s. (Isoxaben), 9, PGIII

SECTION 15: REGULATORY INFORMATION

Labeling Requirements Under FIFRA: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Causes eye irritation. Harmful if inhaled. Avoid ingestion, breathing dust or spray mist, and contact with skin, eyes or clothing.

TSCA Inventory: This product is exempt from TSCA inventory listing requirements as it is solely for FIFRA regulated use.

SARA Title III Information:

Section 302 – Extremely hazardous substances: None

Section 311/312 – Hazard Categories: Acute (Immediate)

Section 313 – This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name | CAS Number | Weight % |
|---------------|------------|----------|
| None listed | | |

CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

| Chemical Name | CAS Number | RQ | Quantity of Finished Product |
|---------------|------------|----|------------------------------|
| None listed | | | |

CALIFORNIA PROPOSITION 65:

| Chemical Name | CAS Number | Prop 65 Category(ies) |
|---------------|------------|-----------------------|
| None listed | 82558-50-7 | |

U.S. STATE RIGHT-TO-KNOW REGULATIONS:

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| Kaolin | | | X |

SECTION 16: OTHER INFORMATION

| | | | | |
|-------------|-------------------------|-----------------------|----------------------|-------------------------------|
| NFPA | Health Hazards 2 | Flammability 0 | Instability 0 | Special Hazards – None |
|-------------|-------------------------|-----------------------|----------------------|-------------------------------|

Disclaimer: Control Solutions, Inc. believes the information presented herein is accurate and correct as of the document date. The presented information is based upon available data from reliable sources. Control Solutions, Inc. makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability

Quali-Pro Isoxaben 75 WG**Revision Date:** June 25, 2018

of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: June 25, 2018
Document Superseded: November 20, 2015
Revision Note: All sections