



Low-Input, High-Impact Feeding for Health, Color & Recovery

PRODUCT DESCRIPTION

4-0-2 FloraGreene™ Fertilizer is engineered to be a complete product for all varieties of landscape plants, ornamentals, tropicals, shrubs, trees.

APPLICATION RECOMMENDATIONS

While soil application is acceptable, **4-0-2** is formulated for foliar application. **4-0-2 FloraGreene**™ will absorb through leaf, stem, and cambium tissue and be distributed to the roots through the circulatory systems of plants, ornamentals, shrubs, and trees. Application rates of 4-0-2 are very low. There is no risk of tissue burn.

GUARANTEED ANALYSIS

Total Nitrogen (N)......4.0% 3.3% Urea Nitrogen* 0.35% Ammoniacal Nitrogen 0.35% Nitrate Nitrogen Soluble Potash (K2O).....2.0% Sulfur (S)......1.0% Iron (Fe)......1.5%

Derived from: Urea, Ammonium Nitrate, Sulfate of Potash, Ferrous Sulfate

*2% urea nitrogen stabilized with N-(n-butyl) thiophosphoric triamide ALSO CONTAINS NON-PLANT FOOD INGREDIENT(S):

Soil Amending Ingredients - 4% 2.0% Humic Acids (Derived from Leonardite) 2.0% Kelp (Microbe food)

Total Other Ingredients - 96%

Purpose Statement:

May increase micronutrient uptake.

May increase microbe food.

Information regarding the contents and levels of metals in this product is available on the internet at http://aapfco.org/metals.html.

PRO DIRECTIONS SHAKE WELL! The mixed product should be agitated prior to and during application. Do not apply to foliage if temperatures are above 80° F or below 40 ° F.

Healthy Trees: Apply at a rate of 1/2 ounce per caliper inch of the diameter at shoulder height. Dilute with water at a rate of 6 ounces per gallon. Spray the trunk of the tree up to a height of 6 feet or to the first fork. Apply two times per year in the spring and fall.

Sick or Diseased Trees: Apply at a rate of 1 ounce per caliper inch of diameter at should height. Dilute at a rate of 6 ounces per gallon of water. Spray the trunk of the tree up to the height of 6 feet or to the first fork. Apply every 30 days as needed.

Fruit Trees: Apply at 1/2 ounce per caliper inch of the diameter at shoulder height before fruit sets. Dilute at 6 ounces per gallon of water. Spray trunk to a height of 6 feet or to the first fork. No application after fruit sets.

Plants and Ornamentals: Apply at a rate of 6 ounces per 1,000 sq. ft. of bedding material. Dilute at a rate of 6 ounces per gallon of water; apply as a mist to foliage or as a soil drench at the base of the plant. Avoid direct contact with flower blooms to prevent staining.

Palms: Apply at a rate of 1 ounce per caliper inch of diameter at shoulder height. Dilute at a rate of 6 ounces per gallon of water. Apply as a soil drench at the base of the palm.

Potted Plants and Vegetables: Dilute at 1 ounce per gallon of water and apply weekly as a light soaking to the base of the plant. Avoid direct contact with flower blooms to prevent staining.

Storage: Store in a cool dry place away from direct sunlight. Product will store for 2 years under warehouse conditions. Protect from freezing. Caution: Apply only to turf, plants, and soil. If plants are flowering, apply to base of the plant to avoid staining of blooms. Keep out of Reach of Children.

Always read and follow label directions.



Manufactured and Guaranteed by Greene County Fertilizer Company, Ínc. PO Box 1346 • Greensboro, GA 30642 1-855-606-3378 • www.greenecountyfert.com



Scan code for more product Info